





JUNE 2009

How to Read the Price List	Page 1
----------------------------	--------

Section 1: WINDOWS PROMPTING SOFTWARE

Windows Prompting SOFTWARE	Page 2
----------------------------	--------

Section 2: SPECIALTY GROUP

PT-3000 Traditional PanelPrompt Series	Page 2
--	--------

Section 3: TRADITIONAL PROMPTERS / SPECTRA-LITE AND VU-LITE

STS-Series SPECTRA-LITE Flat-Panel Prompters	Page 2-3
STS SOLO Stand-Alone Series	Page 3
STS-Series PVM Return Video Preview Assembly	Page 3
T-Series VU-LITE Flat-Panel Prompters	Page 3
T-Series PVM Return Video Preview Assembly	Page 3

Section 4: Z-PRO M-SERIES AND POV L-SERIES

MZS/MZT Z-PRO Mini DV Camcorder Flat-Panel Prompters with and without software	Page 4-5
MZP PanelPrompt Support Systems	Page 5
LV-8 Point-of-View ENG Flat-panel Prompters with and without software.	Page 6

Section 5: ENTRÉE VGA SERIES

ENT Entrée for traditional portable cameras	Page 7
ENZ Entrée for mini dv camcorders	Page 7
Entrée Off-camera Stand-Alones	Page 8

Sections 6 & 7: ADD-ONS, OPTIONS & GENERAL ACCESSORIES

ADD-ONS - Entrée & STS / T Displays	Page 9
OPTIONS - Prompter Software and Hardware	Page 9

GENERAL ACCESSORIES and SPARES	Pages 9-11
Mirrors	Page 9
Camera Riser	Page 10
Counterbalance Weights	Page 10
Sunshade Assemblies	Page 10
Transit Cases	Page 11
Miscellaneous Items	Page 11

Product Code - Component Details	Pages 12-14
----------------------------------	-------------



**LISTEC VIDEO CORP.
JUNE 2009 MASTER PROMPTER PRICE LIST**

Understanding Model Numbers:

The Model Number Prefix indicates the type of display.

The Numeric portion of the Model Number indicates the size of the display.

The Model Number Suffix indicates the type of Hood Assembly and Mounting Hardware included.

Model PREFIX:

Prompters beginning with **STS** feature a Flat Panel with composite video inputs as standard and VGA optional.

Prompters beginning with **T** feature a Flat Panel with Enhanced Brightness and VGA and composite inputs as standard.

Prompters beginning with **MZS** indicate Z-PRO featuring standard brightness, designed for Mini DV Camcorders.

Prompters beginning with **MZT** indicate Z-PRO featuring enhanced brightness, designed for Mini DV Camcorders.

Prompters beginning with **LV** are part of the Point-of-View ENG Flat-panel Series for on-camera, hand-held and direct messaging.

Prompters beginning with **PT** include everything required to build a prompter for conventional cameras, *except the display*. (For compatibility, customer-supplied displays must feature the VESA-standard four-hole wall-mount fixing).

Prompters beginning with **MZP** include all Z-PRO hardware required to build a Mini DV Cam Prompter, *except the display*. (For compatibility, customer-supplied displays must feature the VESA-standard four-hole wall-mount fixing).

Model SUFFIX:

P-Model Prompters are configured for cameras mounted with an ENG style barrel (bayonet-mount) lens having a focal length longer than 5.2mm.

CCD-Model and **S-Model** Prompters are configured for cameras mounted with an ENG style barrel (bayonet-mount) lens, or new-breed compact studio lens measuring no wider than 237.5mm (9.5 in), and will accommodate a lens focal length of 5.2mm or wider.

FSW-Model Prompters are configured to accommodate cameras with a large box-type studio wide-angle lens.

The character **E** in a Model Number denotes a flat panel with Enhanced Brightness

Example: Model **T-2015P-E** features a 15-inch Multi-input Display with Enhanced Brightness and Fold-down Mirror/Soft Hood Assembly configured for a camera with ENG lens having a focal length of longer than 5.2mm.

Please refer to the COMPONENT CHART addendum for complete model information.



Section 1: Software

Windows Prompting Software:

A-6WIN/6A	InstantEdit Software with scan converter, (Ver. 3), XP-2000-Vista / 98-95-NT	1,875.00
A-6000WIN	InstantEdit Software only (Ver. 3), Vista, XP, 2000	1,450.00
LVC-526	EZPrompt Software for Windows	500.00

Section 2: Specialty Group

PanelPrompt Hardware Systems - Require Customer-supplied Display:

PT-3000P	PanelPrompt with fold-down hood (9 lbs / 4.1kg) for 15" through 17" LCD	\$ 2,270.00
PT-3000S	PanelPrompt with standard studio hood (14 lbs / 6.4kg) for LCD through 19"	2,770.00
PT-306CS	PanelPrompt Executive Conference Prompter Hardware for LCD through 20"	2,295.00
LSC-VGA2	VGA Horizontal Image Reverser for customer-supplied VGA display-SXGA	425.00

Section 3: Traditional Prompters / Spectra-Lite and Vu-Lite

STS- SERIES SPECTRA-LITE FLAT PANELS - Featuring 15" Display

Supplied standard with 2X BNC Looping Composite Inputs with 75-Ohm termination. VGA input optional.

FEATURES 15" TFT COMPOSITE FLAT PANEL

STS-2015P	on-camera - equipment weight: 18 lbs (8.2kg)	\$ 4,595.00
STS-2015CCD	on-camera - equipment weight: 24 lbs (10.9kg)	4,995.00
STS-2015FSW	on-camera - equipment weight: 32 lbs (14.5kg)	5,425.00
STS-2015CS	conference - equipment weight: 25 lbs (11.3kg)	4,735.00
LM-VGA	Option: 1X DB 15-pin VGA Connector	ADD: 125.00
STS-2015-PVM	return video preview assembly - equipment weight: 15 lbs (6.8kg)	3,575.00
BSTS-2015/1X	panel with support assembly only: 11 lbs (5kg)	2,995.00

STS- SERIES SPECTRA-LITE SOLO STAND-ALONE PROMPTERS:

Panel supplied standard with 2X BNC Looping Composite Inputs with 75-Ohm termination. VGA input optional. STS-2015SA systems include tripod with spreader or dolly.

FEATURES 15" SOLO STAND-ALONE FLAT PANEL - Other size and style panels available.

STS-2015SAP	SOLO with fold-down hood - equipment weight: 22 lbs (10kg)	\$ 4,795.00
STS-2015SAS	SOLO with studio hood - equipment weight: 26 lbs (11.8kg)	5,195.00
STS-2015SAPD	SOLO with fold-down hood & dolly - equipment weight: 31 lbs (14.1kg)	5,275.00
STS-2015SASD	SOLO with studio hood & dolly - equipment weight: 35 lbs (15.9kg)	5,675.00
STS-15SAP-LT	SOLO/fold-down hood without tripod - equipment weight: 14 lbs (6.4kg)	3,995.00
STS-15SAS-LT	SOLO/studio hood without tripod - equipment weight: 18 lbs (8.2kg)	4,395.00
LM-VGA	Option: 1X DB 15-pin VGA Connector	ADD: 125.00

T-SERIES Multi-Input VU-LITE FLAT PANELS - Featuring 12", 15" and 17" Displays

Supplied standard with 1X VGA and 2X BNC Looping Composite with 75-Ohm termination.

FEATURES 12.1 TFT MULTI-INPUT FLAT PANEL WITH ENHANCED BRIGHTNESS TO 1100 NITS

T-2012P-E	on-camera - equipment weight: 15 lbs (6.8kg)	\$ 4,995.00
T-2012CCD-E	on-camera - equipment weight: 22 lbs 10.0kg)	5,395.00
T-2012FSW-E	on-camera - equipment weight: 30 lbs (13.6kg)	5,825.00
BT-2012E/1X	panel with support assembly only: 8 lbs (3.6kg)	3,825.00

FEATURES 15" TFT MULTI-INPUT FLAT PANEL WITH ENHANCED BRIGHTNESS TO 1600 NITS

T-2015P-E	on-camera - equipment weight: 19 lbs (8.6kg)	\$ 5,795.00
T-2015CCD-E	on-camera - equipment weight: 25 lbs (11.3kg)	6,195.00
T-2015FSW-E	on-camera - equipment weight: 33 lbs (14.9kg)	6,625.00
T-2015CS-E	conference - equipment weight: 26 lbs (11.8kg)	5,935.00
T-2015E-PVM	return video preview assembly - equipment weight: 16 lbs (7.3kg)	4,775.00
BT-2015E/1X	panel with support assembly only: 11 lbs (5kg)	4,195.00

FEATURES 17" TFT MULTI-INPUT FLAT PANEL WITH ENHANCED BRIGHTNESS TO 1000 NITS

T-2017P-E	on-camera - equipment weight, <i>less counterbalance</i> : 21 lbs (9.5kg)	\$ 6,595.00
T-2017CCD-E	on-camera - equipment weight, <i>less counterbalance</i> : 26 lbs (11.8kg)	6,995.00
T-2017FSW-E	on-camera - equipment weight: 34 lbs (15.4kg)	7,425.00
T-2017CS-E	conference - equipment weight: 27 lbs (13.6kg)	6,735.00
T-2017E-PVM	return video preview assembly - equipment weight: 17 lbs (7.7kg)	5,575.00
BT-2017E/1X	panel with support assembly only: 12 lbs (5.4kg)	4,995.00

Section 4: M-Series and L-Series

Z-PRO SERIES OF STANDARD AND ENHANCED DISPLAYS

Z-PRO DV CAM SERIES

The *Z-PRO Prompter* for Mini DV Cameras features a choice of Mirror/Hood Assembly, and includes an Adjustable Camera Support Assembly with Universal Riser featuring 3", 4" and 5" (75mm, 100mm and 125mm) height settings and sliding top platform for camera positioning.

Z-PRO mounts will accommodate Mini DV Camcorders, without the need for rear counterbalance, measuring 11" (275mm) from lens mount to rear and weighing from 2-10 lbs (.91-4.5 kg).

Z-PRO 12.1" Composite - VGA On-Camera Systems - Features Enhanced Brightness to 1100 nits

MODEL NUMBER	DESCRIPTION	PRICE
MZT-1012P	12" Z-PRO with Fold-down Mirror/Soft Hood Assembly System Weight: 14 lb (6.4 kg)	\$ 3,995.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00
MZT-1012S	12" Z-PRO with Standard Studio Hood Assembly System Weight: 19 lb (8.6 kg)	4,495.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00

Z-PRO 15" Composite On-Camera Systems - Features Standard Brightness to 600 nits

MODEL NUMBER	DESCRIPTION	PRICE
MZS-1015P	15" Z-PRO with Fold-down Mirror/Soft Hood Assembly System Weight: 17 lb (7.7 kg)	\$ 3,595.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00
MZS-1015S	15" Z-PRO with Standard Studio Hood Assembly System Weight: 21 lb (9.5 kg)	3,995.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00
LM-VGA	Option: 1X DB 15-pin VGA Connector ADD:	125.00

When ordering specially priced systems, please specify both prompter & software models.

Z-PRO SERIES - continued

Z-PRO 15" Composite-VGA On-Camera Systems - Features Enhanced Brightness to 1600 nits

MODEL NUMBER	DESCRIPTION	PRICE
MZT-1015P	15" Z-PRO with Fold-down Mirror/Soft Hood Assembly System Weight: 17 lb (7.7 kg)	\$ 4,795.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00
MZT-1015S	15" Z-PRO with Standard Studio Hood Assembly System Weight: 21 lb (9.5 kg)	5,150.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00

When ordering specially priced systems, please specify both prompter & software models.

Z-PRO PanelPrompt Support Systems - Require Customer-supplied Display

MODEL NUMBER	DESCRIPTION	PRICE
MZP-3000P	PanelPrompt with Fold-down Mirror/Soft Hood Assembly Hardware Weight: 10 lb (4.5kg)	\$ 1,895.00
MZP-3000S	PanelPrompt with Standard Studio Hood Assembly Hardware Weight: 14 lb (6.4kg)	2,395.00
LSC-VGA2	VGA Horizontal Image Reverser for customer-supplied VGA display-SXGA	425.00

POINT-OF-VIEW 8" Multi-input SERIES

Features as standard selectable VGA and Composite Inputs

LV-8 POINT-OF-VIEW SERIES

The LV-8 Point-of-View LCD Series is configured for use with portable style cameras.

The **LV-2008P** On-camera Prompter features a full-size broadcast quality Fold-down Mirror and Soft Hood Assembly for optimal readability and includes a Sliding ENG Balance Plate and Offset Camera Riser with sliding top platform and 3", 4" and 5" (75mm, 100mm and 125mm) height settings for camera positioning.

The **LV-80** Hand-held ENG Prompter mounts above the lens to the camera's carrying handle and features a mid-size trapezoidal Mirror Assembly. (Please contact Listec prior to ordering to determine camera compatibility.)

The **LV-800DV** Direct-VU MonoPrompt is suggested for specialty applications, when through-the-lens viewing is not required. Supplied with a manually adjustable telescoping Stand and tilting Panel Mount, its narrow profile makes the POV MonoPrompt ideal for placement between seat rows and as a messaging system.

When ordering specially priced systems, please specify both prompter & software models.

MODEL NUMBER	DESCRIPTION	PRICE
LV-2008P	8" POV Below-lens On-Camera LCD Prompter System Weight: 8 lb (3.6 kg)	\$ 2,250.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00
LV-80	8" POV Above-lens ENG Hand-held LCD Prompter System Weight: 5 lb (2.2 kg)	2,595.00
	When combined with A-6WIN/6A Software System, ADD Prompting Software at special price of:	1,000.00
LV-800DV	8" POV MonoPrompt LCD Direct-VU Prompter System Weight: 10 lb (4.5 kg)	1,150.00
	When combined with A-6WIN/6A Software System ADD Prompting Software at special price of:	1,000.00

Section 5: Entrée Series

ENTRÉE VGA SERIES - The perfect entry into the world of professional teleprompting. Entrée affords the user attractively priced prompters and prompter packages backed by Listec's reputation for quality and support.

Configured for both traditional style ENG cameras and the new breed of mini DV camcorders, Entrée opens the door to those with limited budgets.

With text reversal a function of the prompting software, the only option to consider is whether a prompter program, or image reverser, will be required.

When selecting an Entrée Prompter, ensure the tripod and pan head each has sufficient capacity to support the camera with prompter.

ENTRÉE

ON-CAMERA SYSTEMS - Not including prompting software:

ENT-1717P at \$1,595.00

Configured to support conventional style portable cameras. Features 17" VGA Display, Fold-down Mirror/Soft Hood Assembly and Easy-mount Support Hardware including Camera Riser and rear Counterbalance Weight. Prompter weight, less counterbalance: 18 lbs/8.2kg

◆◆◆◆

ENZ-1717P at \$1,395.00

Configured for Mini DV Camcorders 10 lbs or under. Features 17" VGA Display, Fold-down Mirror/Soft Hood Assembly and Z-Mount Support Hardware. Prompter weight: 18 lbs/8.2kg

ON-CAMERA SYSTEM PACKAGES - Including prompting software:

Choice of either Listec A-6000WIN or EZPrompt Software, which feature Image Reversal for correct reflection of text on the prompter mirror:

ENT-1717P-EZ at \$2,095.00 Includes 17" Prompter with EZPrompt Software for Windows. Suggested for use when a prompter operator will be controlling the scrolling text. Reverses text on prompter while maintaining normal mode on computer LCD.

◆◆◆◆

ENZ-1717P-EZ at \$1,895.00 Includes 17" Prompter for Mini DV Cams and EZPrompt Software for Windows. Suggested for use when a prompter operator will be controlling the scrolling text. Reverses prompter text, while maintaining normal mode on computer LCD.

◆◆◆◆

ENT-1717P-A6 at \$2,595.00 Includes 17" Prompter with Listec A-6000WIN Software for Windows. Suggested for use when the speaker (presenter) will be controlling the scrolling text, or in conjunction with the LSC-VGA2 Image Reverser for maintaining normal mode on the computer display for preview purposes.

◆◆◆◆

ENZ-1717P-A6 at \$2,395.00 Includes 17-inch Prompter for Mini DV Cams and Listec A-6000WIN Software for Windows. Suggested for use when the speaker (presenter) will be controlling the scrolling text, or in conjunction with the LSC-VGA2 Image Reverser for maintaining normal mode on the computer display for preview purposes.

◆◆◆◆

LSC-VGA2 VGA Image Reverser at **\$425.00** Suggested when someone other than the speaker will be controlling and monitoring the prompter scroll.

ENTRÉE - VGA PROMPTERS - continued

ENTRÉE OFF-CAMERA STAND-ALONE SERIES - Suggested for use when the camera tripod system has insufficient capacity to support a prompter, or when the prompter is not required on a daily basis.

Model **EN-17P** at **\$1,275.00** - Software not included
Supplied with a 17-inch VGA Flat-panel Display Assembly *only* featuring a Fold-down Mirror/Soft Hood, Adjustable Support and a choice of either a 100mm or 75mm leveling ball for mounting to a **customer-supplied** Tripod. Display Assembly Weight: 15 lbs/6.8kg

Model **EN-17SAP** at **\$1,395.00** - Software not included
Supplied with a 17-inch VGA Flat-panel Display featuring Fold-down Mirror/Soft Hood Assembly and Tripod with Spreader.
System weight: 20 lbs/9.1kg

ENTRÉE OFF-CAMERA SYSTEMS WITH PROMPTING SOFTWARE

Model **EN-17SAP-A6** at **\$2,395.00** is a fully configured Off-camera System including Stand-alone Entrée Prompter with Listec A-6000WIN Software.

EN-17SAP-A6 System is supplied with:

- a) 17-inch VGA Flat-panel Display featuring Fold-down Mirror/Soft Hood Assembly
- b) Tripod with Spreader
- c) A-6000WIN InstantEdit Prompter Program for Windows with USB Security Key for copy protection. Suggested for use when the speaker (presenter) is in charge of the scrolling output, or in conjunction with the LSC-VGA2 Image Reverser.

System Weight: 20 lbs/9.1kg

Model **EN-17SAP-EZ** at **\$1,895.00** is a fully configured Off-camera System including Stand-Alone Entrée Prompter with EZPrompt Software.

EN-17SAP-EZ System is supplied with:

- a) 17-inch VGA Flat-panel Display featuring Fold-down Mirror/Soft Hood Assembly
- b) Tripod with Spreader
- c) LVC-526 EZPrompt Software. Reverses text on the prompter while maintaining normal mode on computer screen. Suggested for use when a prompter operator and not the speaker is controlling the output.

System Weight: 20 lbs/9.1kg

To order Entrée off-camera Stand-Alone with DOLLY, specify:

EN-17SAPD at **\$1,555.00**

Includes 17-inch VGA Display Assembly, Tripod and Simple Dolly

EN-17SAPD-A6 at **\$2,555.00**

Includes 17-inch VGA Display Assembly, Tripod with Simple Dolly and Listec A-6000WIN InstantEdit Prompter Program.

EN-17SAPD-EZ at **\$2,055.00**

Includes 17-inch VGA Display Assembly, Tripod with Simple Dolly and LVC-526 EZPrompt Program

Section 6 - Entrée and STS / T Panel Add-ons

ADD-ONS - Suggested for use with Entrée

B-1802-VGA	VGA Distribution Amplifier, one input-2 outputs	\$ 95.00
B-1804-VGA	VGA Distribution Amplifier, one input-4 outputs	165.00
C-VGA25-MM	VGA extension cable, 25 ft/7.5m	75.00

ADD-ONS for Spectra-Lite and Vu-Lite Displays

BIL-EA75-12	Internal modification for direct battery operation of Spectra-Lite and Vu-Lite Displays at 9-18VDC, 67.25W	595.00
BT-3510-ASSY	External Sensa-Tally Assembly, features auto light sensing	350.00
BT-3509-ASSY	Internal Sensa-Tally, features auto light sensing - positioned center front of display. <i>(Factory installed at time of order.)</i>	150.00

Section 7 - Options and General Accessories

OPTIONS - PROMPTER SOFTWARE:

A-WIN/FC	foot control with 10 ft (3.05m) USB cable and separate reverse push-button floor/desktop toggle switch with 15 ft (4.6m) cable.	\$ 850.00
A-6055-A	Series 3 (additional) USB dongle-security key	795.00
A-1643	ShuttlePRO desktop rotary speed control with 15 programmable buttons	225.00
A-1644	ShuttleXpress desktop rotary speed control with 5 programmable buttons	95.00
A-1646	simple hand-held trackball speed controller, specify USB or PS/2	80.00
B-1646-EXT	50 ft. (15.2m) PS/2 extension cable for A-1646	75.00
B-1646-EXT/U	20 ft. (6.1m) USB extension cable for A-1646	50.00
A-1649	Wireless multimedia 100' (30.5m) omni-directional hand-held speed controller	325.00
A-3019	composite video scan converter	<i>please call</i>

OPTIONS - PROMPTER HARDWARE:

PVM-100	Preview Display Assembly (less flat panel) weight: 6.5 lbs (2.9kg) <i>Accommodates flat panels with VESA wall-mount through 20-inch.</i>	\$ 1,195.00
----------------	---	-------------

GENERAL ACCESSORIES & SPARES:

PROMPTER MIRRORS

B-2000/LR	standard for all CCD-S size: 21-3/16 x 19-3/16 x 15-1/2"	\$ 495.00
B-2002/LR	wide angle for all FSW-X size: 24-1/4 x 21-5/8 x 15-3/4"	525.00
B-2012	standard conference and LV-800DV size: 12 x 12 x 0.25"	375.00
B-2012/6040G	gray-tinted hi-lite conference and LV-800DV size: 12 x 12 x 0.25"	375.00
B-3009A	for LV-2008P, size: 9-5/8 x 8-1/2"	325.00
B-3080	for LV-80 hand-held size: 10-5/8 x 9-3/8 x 8-1/4"	285.00
B-3012A	for STS-2012P, T-2000, T-2012P size: 12 x 12-5/8"	325.00
B-3015P/LR	for STS-2015P, T-2015P & ENZ/ENT-17 size: 14-7/16 x 14-7/16"	475.00
B-3257P/LR	for ENT/ENZ-17 from serial no. 201 forward size: 18 X 16 X 13.50"	475.00

GENERAL ACCESSORIES & SPARES - continued:

CAMERA RISER

B-3451	3"/4"/5" (75/100/125mm) height settings with 10.5" (262.5mm) sliding platform	\$ 195.00
---------------	---	-----------

SIMPLE INCREMENTAL COUNTERBALANCE WEIGHTS

A-1001	simple 1.5-pound trim weight (0.68kg)	\$ 35.00
A-1005	simple 5-pound (2.3kg)	90.00
A-1010	simple 10-pound (4.5kg)	100.00
A-1020	simple 20-pound (9.1kg)	150.00

SLIDING ENG COUNTERBALANCE WEIGHT ASSEMBLIES

A-1001-A	sliding ENG, 1.5-pound (.68kg)	110.00
A-1030-A	sliding ENG, 3-pound (1.4kg) comprised of two A-1001 & A-2009-09B	145.00
A-1050-A	sliding ENG, 5-pound (2.3kg)	165.00
A-1010-A	sliding ENG, 10-pound (4.5kg)	175.00
A-2009-09A	sliding ENG base plate only for A-1001 trim weight	75.00

SLIDING EFP COUNTERBALANCE WEIGHT ASSEMBLIES

A-1215-03	sliding EFP, 3-pound (1.4kg) comprised of two A-1001 & B-1215-09A	170.00
A-1215-05	sliding EFP, 5-pound (2.3kg)	190.00
A-1215-10	sliding EFP, 10-pound (4.5kg)	200.00
A-1215-20	sliding EFP, 20-pound (9.1kg)	250.00
B-1215-09A	sliding EFP base plate only for A-1001 trim weight	100.00

BARNDOR STYLE SUNSHADE ASSEMBLIES

BST-1212P	for T-2012P-E	250.00
BST-1515P	for STS-2015P, T-2015P-E	250.00
PBT-3000P	for Traditional PanelPrompt P-model configuration	250.00
PBZ-3000P	for Z-PRO PanelPrompt P-model configuration	250.00
BMZ-1212P	for MZT-1012P	250.00
BMZ-1515P	for MZS/MZT-1015P	250.00
BLV-8008P	for LV-2008P	250.00

GENERAL ACCESSORIES & SPARES - continued:

TRANSIT CASES FOR TRADITIONAL PROMPTER AND PANELPROMPT SERIES

TC-TS2012P	for T-2012P-E	995.00
TC-TS2015P	for STS-2015P, T-2015P-E	995.00
TC-TS2015CS	for STS-2015CS, T-2015CS-E	1,125.00
TC-T2017CS-E	for T-2017CS-E	1,125.00
TC-TS2015S	for STS-2015CCD, T-2015CCD-E	1,425.00
TC-SOLO-ST5	for STS and T Solo stand-alone P-Model display without tripod	895.00
TC-SOLO-SC7	Soft Padded Case for Solo tripod with floor spreader/mid-level spreader	550.00
	Other transit cases can be customized upon request.	

Z-PRO TRANSIT CASES

TC-MZST1012P	One-Step Transit Case with casters, sliding handle, hasp lock & label tab	\$ 995.00
TC-MZST1015P	One-Step Transit Case with casters, sliding handle, hasp lock & label tab	995.00

ENTRÉE TRANSIT CASES

TC-ENT1717P	One-Step Transit Case with casters, sliding handle, hasp lock & label tab	\$ 995.00
TC-ENZ1717P	One-Step Transit Case with casters, sliding handle, hasp lock & label tab	995.00

LV-8 SERIES TRANSIT CASES

TC-LV2008P	Transit Case with wheels & retractable handle for LV-2008P	\$ 695.00
TC-LV80	Transit Case with wheels & retractable handle for LV-80	695.00

MISCELLANEOUS

TST-12VDC	DC-DC converter for STS and T-series flat panels	\$ 495.00
C-F3G006-01	simple VGA splitter cable	40.00



LISTEC VIDEO CORP.
 2001 Palm Beach Lakes Boulevard - Suite 502-I ▪ West Palm Beach, FL 33409
 Telephone: 1-561-683-3002 • Fax: 1-561-683-7336
 40 Oser Avenue - Unit 3 ▪ Hauppauge, NY 11788
 Telephone: 1-631-273-3029 • Fax: 1-631-435-4544
www.listec.com / sales@listec.com

LISTEC PRODUCT CODE ADDENDUM - PROMPTER COMPONENTS

Hardware Definitions:

Sliding ENG Balance Plate measures 15" X 4"

Sliding Mid-size EFP Balance Plate measures 20" X 5"

Sliding EFP Balance Plate measures 25" X 5"

Solid 20" X 5" Mid-size EFP Plate (for robotic applications)

Solid 25" X 5" EFP Plate (for robotic applications)

Solid Universal Balance Plate measures 32" X 7"

Counterbalance: Available for all balance plates in 1.5-pound, 5-pound, 10-pound and 20-pound units.

(Master Price List Reference - Page 2)

A-6WIN/6A includes A-6000WIN InstantEdit Prompter Program for XP-2000-Vista, single-user Security Key (USB or Parallel Port) for copy protection and a basic VGA-TV Composite Scan Converter.

A-6000WIN includes the InstantEdit Program with single-user Security Key (USB or Parallel Port) for copy protection.

PT-3000P PanelPrompt supplied *less a display*, configured for portable style camera with ENG lens. Hardware includes: Fold-down Hood, Sliding Mid-size EFP Balance Plate, Camera Riser and appropriate Counterbalance.

PT-3000S PanelPrompt supplied *less a display*, configured for portable style camera with ENG lens. Hardware includes: Standard Studio Hood, Sliding EFP Balance Plate, Camera Riser and appropriate Counterbalance.

PT-306CS Executive Conference Hardware, supplied *less a display*, includes:

Manually adjustable Stand, Sliding Support Bracket for customer-supplied display and 12" X 12" Mirror.

(Master Price List Reference - Page 2)

SPECTRA-LITE STS-Series Hardware:

CS-Models include manually adjustable Conference Stand, Sliding Bracket Support for LCD Display and 12" X 12" Mirror.

SPECTRA-LITE Hardware for 15-inch Prompters:

P-Model, 12-inch Prompter, configured for portable style camera with **ENG** lens, includes Fold-down Hood and Sliding ENG Balance Plate. (Both Camera Riser and Counterbalance are optional.)

P-Model, 15-inch Prompter, configured for portable style camera with **EFP** lens, includes Fold-down Mirror Assembly and Sliding Mid-size EFP Balance Plate. (Both Camera Riser and Counterbalance are optional.)

CCD-Model, configured for portable style camera with ENG lens, or compact HD box-lens measuring no wider than 237.5mm (9.5 in). Includes Standard-size Studio Hood, Sliding EFP Balance Plate and Camera Riser. (Counterbalance is optional.)

FSW-Model, configured for camera with box-type studio lens, includes Wide-Angle Studio Hood and Solid Universal Balance Plate.

LISTEC PRODUCT CODE ADDENDUM - PROMPTER COMPONENTS

(Master Price List Reference – Page 3, continued)

SOLO System Hardware:

P-Models, configured for portable style camera with ENG lens, include Fold-down Hood Assembly, Panel with 75mm or 100mm Leveling Ball, single-stage Tripod and Floor Spreader.

S-Models, configured for portable style camera with ENG lens, include Standard-size Studio Hood, Panel with 100mm Leveling Ball, single-stage Tripod and Floor Spreader.

PD-Models and **SD-Models**, as above, but with Dolly instead of Floor Spreader.

LT-Models are supplied without the tripod system and include either a 100mm or 75mm Ball Base for mounting onto an existing tripod.

(Master Price List Reference – Page 3)

VU-LITE T-Series Hardware:

CS-Models include manually adjustable Conference Stand, Sliding Bracket Support for LCD Display and 12" X 12" Mirror.

VU-LITE Hardware for 12-inch and 15-inch Prompters:

P-Model, 12-inch Prompter, configured for portable style camera with ENG lens, includes Fold-down Mirror Assembly and Sliding **ENG** Balance Plate. (Both Camera Riser and Counterbalance are optional.)

P-Model, 15-inch Prompter, configured for portable style camera with ENG lens, includes Fold-down Mirror Assembly and Sliding Mid-size **EFP** Balance Plate. (Both Camera Riser and Counterbalance are optional.)

CCD-Model, configured for portable style camera with ENG lens or compact HD box-lens measuring no wider than 237.5mm (9.5 in). Includes Standard-size Studio Hood, Sliding EFP Balance Plate and Camera Riser. (Counterbalance is optional.)

FSW-Model, configured for camera with large box-type studio lens, includes Wide-Angle Studio Hood Assembly and Solid Universal Balance Plate.

VU-LITE Hardware for 17-inch Prompters:

P-Model for 17-inch Prompter, configured for portable style camera with ENG lens, includes Fold-down Mirror/Soft Hood Assembly, Sliding Mid-size EFP Balance Plate and suitable rear Counterbalance. (Camera Riser is optional.)

CCD-Model, configured for portable style camera with ENG lens, or compact HD box-lens measuring no wider than 237mm (9.5 in). Includes Standard-size Studio Hood Assembly, Sliding EFP Balance Plate, Camera Riser and appropriate rear Counterbalance Weight.

FSW-Model, configured for camera with large box-type studio lens, features Wide-Angle Studio Hood Assembly and Solid Universal Balance Plate.

LISTEC PRODUCT CODE ADDENDUM - PROMPTER COMPONENTS

(Master Price List Reference – Pages 4 and 5)

Z-PRO Mini DV CAM SERIES

MZT-1012P is supplied with a Fold-down Mirror/Soft Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

MZT-1012S is supplied with a Standard Studio Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

MZS/MZT-1015P is supplied with a Fold-down Mirror/Soft Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

MZS/MZT-1015S is supplied with a Standard Studio Hood Assembly, Pan Head Mounting Assembly and Offset Camera Riser.

(Master Price List Reference – Page 5)

Z-PRO Panel Prompt Systems for Mini DV Camcorders

MZP-3000P is supplied less a display but with P-Model hardware noted above.

MZP-3000S is supplied less a display but with S-Model hardware noted above.

(Master Price List Reference - Page 6)

POINT-OF-VIEW LCD ENG SERIES

LV-2008P, configured for portable style camera with ENG lens. Features Fold-down Mirror/Soft Hood Assembly, Sliding ENG Balance Plate and Offset Camera Riser.

LV-80, Hand-held ENG includes hardware for mounting to camera handle. To ensure compatibility, please confirm camera prior to ordering.

LV-800DV, includes LCD Display with Floor Stand.

(Master Price List Reference - Pages 7 and 8)

ENTRÉE VGA Series

ENT-1717P, configured for traditional style portable camera with ENG lens. Features Fold-down Mirror/Soft Hood Assembly, Sliding EFP Balance Plate, Camera Riser and up to 10 lbs of counterbalance.

ENZ-1717P, configured for mini DV camcorders weighing 10 lbs or under. Features Pan Head Mounting Assembly and Offset Camera Riser.

Please contact Listec regarding hardware substitutions and customized systems.

LISTEC VIDEO

Telephone: FL Office: 1-561-683-3002 ▪ NY Office: 1-631-273-3029